



EDGE CONDITION LEGEND

(E1) - 8" TO 1'-8" Ø WALL FLASHING, FULLY ADHERE W.F., INSTALL TERM BAR, SEALANT AND SLIP FLASHING TO BACKSIDE OF EXIST. COPING OR COUNTERFLASHING METAL (SEE DET. 0001)

(E2) - REMOVE EXISTING RAISED METAL EDGE, INSTALL NEW WOOD BLOCKING TO MATCH HEIGHT OF NEW ROOF SYSTEM, INSTALL NEW RAISED METAL EDGE (SEE DET. 0002)

SECTION "J"
2,031 SQ. FT.

REFER TO REFERENCE MEP DRAWINGS WHICH ARE LISTED UNDER THE DETAIL DRAWINGS ON THE PROJECT LINKS FOR EXISTING MEP REMOVALS AND NEW PENETRATIONS. ALL EXISTING MEP REMOVALS AND NEW CURB INSTALLATIONS BY OTHERS (EXISTING CURB UNIT REMOVALS ARE SCHEDULED FOR THE CURB TO REMAIN, CAPPED BY THE MEP CONTRACTORS), ROOFING CONTRACTOR TO INSTALL FLASHINGS FOR CURBS AND PENETRATIONS IN A WARRANTABLE MANNER, INSTALLATION OF MEMBRANE WEAR PADS UNDER "CU" CONDENSER UNITS AND COORDINATE WITH OWNERS MEP CONTRACTORS TO MAINTAIN WATERTIGHTNESS OF ROOF SYSTEM

- OTHER ITEMS**
- (8) 1'-0" X 1'-0" POURABLE SEALER POCKETS FOR STRUCTURAL STEEL COLUMNS: INSTALL NEW POURABLE SEALER POCKET
 - (6) 4" DIA. ROOF DRAIN PIPE SIDE WALL CURB PENETRATION ONTO ROOF SURFACE (FROM UPPER ROOFS) FLASH IN A WATERTIGHT MANNER AND INSTALL WALK PAD UNDER EXIST. SPLASHBLOCK AT DISCHARGE
 - (3) 6" DIA. ROOF DRAIN PIPE SIDE WALL CURB PENETRATION ONTO ROOF SURFACE (FROM UPPER ROOFS) FLASH IN A WATERTIGHT MANNER AND INSTALL WALK PAD UNDER EXIST. SPLASHBLOCK AT DISCHARGE
 - REMOVE ABANDONED SAT DISH ON BASE
 - REPLACE 15 LIN FEET OF 1'-0" (W) X 4'-0" (H) X 1" (T) METAL WALL PANELS ON INSIDE FACE OF PARAPET WALL WHERE MISSING OR DAMAGED (MATCH EXIST COLOR & PROFILE)

General Notes

DISCLAIMER
ALL IDEAS, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY, AND ARE THE PROPERTY OF, ROOFINGPROJECTS.COM AND WERE CREATED, DEVELOPED AND DELIVERED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.

WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE WILL BE NOTICED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address
RoofingProjects.com
39 Wall Street
Norwalk, CT
06850

Project Name and Address
2018
Dealpoint Merrill
Richmond Town Square
Richmond Heights, OH

Project	Sheet
Date January 31, 2018	1
Scale 1/16" = 1'-0"	

