

SECTION A PENETRATIONS
RTU SCHEDULE

A - 3'-0" X 6'-0"
B - 3'-0" X 5'-0"

PIPES


SIZE	QUANTITY
2" DIA.	3
8" DIA.	1

OTHER ITEMS

SAT DISH ON 7' X 7' BASE = 1, PROVIDE WEAR PAD UNDER BASE

4" X 4" POURABLE SEALER POCKET = 1
6" X 6" POURABLE SEALER POCKET = 5
(PROVIDE NEW POURABLE SEALER FLASHING ONLY WHEN PENETRATION CANNOT BE FIELD WRAP FLASHED)

- EDGE CONDITION LEGEND**
- E1 - 4" (H) W.F. CUT BOTTOM OF METAL WALL PANEL TO MAINTAIN 1'-0" FLASHING HEIGHT. FULLY ADHERE WALL FLASHING, INSTALL TERM BAR AND SLIP FLASHING TO BACKSIDE OF EXIST. METAL WALL PANEL (SEE DET. 0001)
 - E2 - REMOVE EXIST. COPING AND CLEAT, 1'-3" (H) W.F. RUN UP OVER EXIST 1'-0" (W) BLOCKING AND DOWN OUTSIDE FACE OF BLOCKING. INSTALL NEW CLEAT AND 2 PIECE METAL FASCIA (SEE DET. 0002)
 - E3 - REMOVE EXISTING EDGE METAL AND GUTTER / DOWNSPOUT SYSTEM AND REPLACE WITH NEW 8" X 12" GUTTER WITH (2) DOWNSPOUTS (INCLUDE BLOCKING AS REQ'D. FOR NEW METAL EDGE TO MEET HEIGHT OF NEW ROOF SYSTEMS) (SEE DET. 0003)
 - E4 - REMOVE EXIST. COPING AND CLEAT, 3'-0" (H) W.F. RUN UP OVER EXIST 1'-0" (W) BLOCKING AND DOWN OPPOSITE SIDE OF WALL. INSTALL NEW CLEAT AND METAL COPING (SEE DET. 0004)
 - E5 - 8" (H) W.F. INSTALL TERM BAR AND NEW SURF. MTD. COUNTER FLASHING (SEE DET. 0005)
 - E6 - REMOVE EXIST. COPING AND CLEAT, 4'-0" TO 4'-6" (H) W.F. INSTALL NEW 3/4" PLYWOOD OVER EXISTING METAL PANELS AND FULLY ADHERE NEW FLASHING UP & OVER EXIST 8" (W) BLOCKING AND DOWN OUTSIDE FACE OF BLOCKING. INSTALL NEW CLEAT AND 2 PIECE METAL FASCIA (SEE DET. 0002)
 - E7 - REMOVE EXIST. COPING AND CLEAT, 2'-0" TO 3'-0" (H) W.F. RUN UP OVER EXIST 8" (W) BLOCKING AND DOWN OUTSIDE FACE OF BLOCKING. INSTALL NEW CLEAT AND 2 PIECE METAL FASCIA (SEE DET. 0002)
 - E8 - REMOVE EXIST. COPING AND CLEAT, 1'-0" TO 2'-0" (H) W.F. RUN UP OVER EXIST 1'-0" (W) BLOCKING AND DOWN OUTSIDE FACE OF BLOCKING. INSTALL NEW CLEAT AND 2 PIECE METAL FASCIA (SEE DET. 0002)
 - E9 - REMOVE EXISTING EDGE METAL AND GUTTER / DOWNSPOUT SYSTEM AND REPLACE WITH NEW 8" X 8" GUTTER WITH (1) DOWNSPOUTS (INCLUDE BLOCKING AS REQ'D. FOR NEW METAL EDGE TO MEET HEIGHT OF NEW ROOF SYSTEMS) (SEE DET. 0003)



SECTION B PENETRATIONS
RTU SCHEDULE

C - 5'-6" X 8'-0"

PIPES

SIZE	QUANTITY
4" DIA.	1
8" DIA.	1

VENT. CURBS

SIZE	QUANTITY
1'-6" X 1'-6"	1
2'-0" X 2'-0"	2
3'-0" X 3'-0"	1

OTHER ITEMS

4" X 4" POURABLE SEALER POCKET = 3
(PROVIDE NEW POURABLE SEALER FLASHING ONLY WHEN PENETRATION CANNOT BE FIELD WRAP FLASHED)

SECTION C PENETRATIONS
RTU SCHEDULE

A - 4'-6" X 7'-0"
B - 3'-6" X 6'-0"
C - 4'-6" X 9'-0"
D - 3'-6" X 5'-0" GOOSE NECK CURB

PIPES

SIZE	QUANTITY
1" DIA.	1
3" DIA.	3
4" DIA.	1

VENT. CURBS

SIZE	QUANTITY
1'-6" X 1'-6"	2
2'-6" X 2'-6"	1
3'-0" X 3'-0"	1
1'-0" X 4'-0"	1

OTHER ITEMS

SAT DISH ON 3' X 4' BASE = 1, PROVIDE WEAR PAD UNDER BASE
ROOF HATCH (RH) = 2'-9" X 3'-3"

ABANDONED ITEMS

2'-9" X 5'-0" ROOF HATCH
2'-6" X 2'-6" UTILITY HOOD
(REMOVE ABANDONED ITEM, CLOSE OPENING IN DECK AND INFILL W/ INSULATION TO MATCH SURROUNDING ROOF HEIGHT AND INSTALL RECOVERY BOARD AND MEMBRANE OVER)



DISCLAIMER
ALL IDEAS, DESIGN ARRANGEMENTS, AND PLANS INDICATED OR REPRESENTED BY THIS DRAWING ARE OWNED BY AND ARE THE PROPERTY OF ROOFINGPROJECTS.COM AND WERE CREATED, DEVELOPED AND PROVIDED FOR USE ON AND IN CONNECTION WITH THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGN ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF ROOFINGPROJECTS.COM.
WRITTEN DIMENSIONS ON THIS DRAWING SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MAY BE NOTIFIED OF ANY VARIATIONS FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS.

No.	Revision/Issue	Date

Firm Name and Address

RoofingProjects.com
39 Wall Street
Norwalk, CT
06850

Project Name and Address

2017
BKR Lamar Retail Services
Magnolia Layne
Green Cove Springs, FL

Project	Sheet
Date Oct. 11, 2017	1
Scale 1/16" = 1'-0"	